



# RockCreeke™

## Classic Carriage House Style

RockCreeke gives you time honored styling and wood appearance without the high maintenance associated with a wood door. Your RockCreeke door starts with a high quality insulated steel door and is overlaid with a highly engineered, long-lasting vinyl capstock material, duplicating the appearance of classic wood, without the hassles of wood. With Raynor's OptiFinish™ 2-tone paint process available, choices are almost endless, giving your home a perfect match with unsurpassed curb appeal. RockCreeke is the perfect balance between unrivaled beauty and enduring quality.



### Insulation

Through our innovative process, insulation fills 100% of the door's interior space. The energy-saving polyurethane core delivers an exceptional 12.0 R-value.



### Thermal Protection

Thermal protection is provided by a continuous thermal break, preventing heat loss and metal-to-metal contact between inside and outside surfaces.




### Profiles


Available in Swing-Out and Accordion style with bi-fold, A-bucks, V-bucks, and X-bucks designs.

## RockCreeke™

Designed to provide unsurpassed character in a maintenance-free design, Raynor RockCreeke overlay doors feature an environmentally stable trim board material. With a long-lasting vinyl capstock, this trim board material has an attractive appearance that holds up over time. Best of all, the material technology can utilize "reclaimed" wood fiber and vinyl from post production processes, helping to save natural resources. And, with an R-value of 12.0, RockCreeke doors have durable 1-3/8" polyurethane insulated base door sections for thermal efficiency and maximum structural integrity.



1. baked-on finish
2. epoxy primer
3. galvanized layer
4. high-strength steel
5. polyurethane insulation
6. high-strength steel



RockCreeke, Swing-Out, White over Barn Red with 3 over 3 clear glass

### Colors

#### Standard Base Colors



#### Standard Board Color



#### Optional



Raynor's OptiFinish paint process allows your RockCreeke door to be customized with more than 1,800 Sherwin-Williams® colors. Mix and match to achieve your perfect 2-tone door.

If overlay trim boards are painted, select a color with a Light Reflective Value (LRV) of 50 or higher for doors that receive direct sunlight (east, west or south facing). Refer to the Sherwin-Williams color chart for LRV.

### Standard Limited Warranty\*

#### Door Sections

"For As Long As You Own Your Home" against rust

#### Trim Boards

Delamination: 5-years

Discoloration: 10-years

#### Hardware

EnduraCote: "For As Long As You Own Your Home" against defects in materials and workmanship

Galvanized: 6-years against defects in materials and workmanship

#### Springs

EnduraCote: "For As Long As You Own Your Home"

Standard: 3-years against defects in material and workmanship

### Hardware Options

#### Exterior Hardware

Add character to your RockCreeke door with these authentic look decorative hardware choices.



Bean Strap



Bean Handles



Fleur-de-Lis Strap



Fleur-de-Lis Handles

#### Interior Hardware

For a clean, finished look and maximum protection against rust, RockCreeke doors are available with a powder coated hardware system. The EnduraCote™ Hardware System features extended-life torsion springs and powder coated hardware. Nylon rollers with steel ball bearings also help to provide superior noise reduction.



### Track/Hardware Finish

#### Standard

Galvanized

#### Optional

EnduraCote™ White Powder Coat

\*Limited Warranty: Visit [www.raynor.com/products](http://www.raynor.com/products) for complete Limited Warranty details.

## Door Styles and Panel Options

**Door styles:** Simulated Swing-Out, Bi-fold, and Accordion (12' only)


**Sizes:**

*Heights:* up to 10' in 6" increments


*Widths:* 8'0", 9'0", 10'0", 12'0", 16'0", 18'0"

*(Accordion style doors only available in 12' widths)*

### Swing-Out Single-Car and Double-Car Panel Configurations



### Accordion Panel Configurations (Only Available in 12' widths)



### Bi-Fold



## Window Options

RockCreeke's window battens are made from an environmentally stable material that utilizes "reclaimed" wood fiber and vinyl from post-production processes and coated with a long-lasting vinyl capstock, while arches are made from industrial grade polyurethane. Battens and arches are fitted to the window and locked in place, resulting in unprecedented beauty.

**Glass Type**

*Standard:* Clear 1/8" DSB

*Optional:* Clear 1/8" Insulated

Water Glass 3/16"

Water Glass 3/16"

Insulated

**Number of Lites Across**

*Single Car:* 2

*12' Accordion:* 3

*Double Car:* 4

**Pane Pattern**

1-pane, 1-pane arched,

2 over 2

3-pane, 3 over 3,

3 over 3 pane arched,

4-pane, 4 over 4,

4 over 4 pane arched

Our beautiful window designs put the perfect finishing touch on your new Raynor RockCreeke garage door.



## Unsurpassed Character in a Maintenance-free Design

The material used in the decorative overlay trim boards is a revolutionary structural composite that blends the very best attributes of vinyl and wood. Its strength and durability have been field-proven in extreme weather and environmental conditions.



*RockCreeke, Swing-Out, White over ClayTone with 1 pane clear glass*

## Professional Installation and Service

### Depend on your Raynor Dealer

When you select Raynor, you're not just getting a superior garage door - you're also getting professional garage door installation and service expertise.

Every Raynor garage door is installed by a trained Raynor professional, and that means added benefits for you. First, you won't have to deal with it yourself. Second, because it's done right the first time, your door will deliver performance and reliability from the day it's installed. Your technician will check your door for everything from safety to performance and appearance. Trust your Raynor garage door to someone who knows it better than anyone else, your professional Raynor Dealer.



P.O. Box 448, 1101 East River Rd.  
Dixon, IL 61021-0448  
1-800-4-RAYNOR (472-9667)



### A.B.E. Doors & Windows

6776 Hamilton Boulevard  
Allentown, PA 18106  
610-398-2430

[www.abeddoors.com](http://www.abeddoors.com)

**Call 610-398-2430 now to get a free estimate!**